J.U.S. EPA

; 7-22-97 ; 1:50PM ; SUPERFUND DIVISION-

2177823258;# 1/ 3

1630200005 72497 Saugest SF/tech

1536 88

United States Environmental Protection Agency

SEPA

Region V
77 West Jackson Blvd.

Chicago, Illinois 60604
Office of Superfund
Remedial & Enforcement Response Branch

Facsimile Cover Sheet

10 Di Paul Pakaes, JEPA

Office phone: (217) 785-3912

FAX No. (217) 782-3258

From: Leah Evison

Office phone: (312) 886-4696

FAX: (312) 886-4071

Office code: SR-6J

Number of pages,

including cover:

Date: July 22, 1997


3

Paul, here is the sample locations for Segment F and the data table I have from the DRAFT report from the contractor. HOWEVER, this table is just maximum detects, not data from individual samples. I will call the contractor to get that info tomorrow, but perhaps meanwhile this will help your talking with HQ to get them more comfortable including Segment F in the listing. Unfortunately I am leaving the office in a few minutes and can't followup more today.

Leah

ORIGINAL

JUL 2 2 1997
FAXEC SCREENED





SUPERFUND DIVISION

Parameter		SQC ^b		Hazard Quotient		
	Maximum Detection*	LEL	SEL	LEL	SEL.	
		m a /kg			no units	
Arsenic	276	6,0	33.0	46.0	8.4	
Barium	228	-		•	•	
Cadmium	16.3	0.6	10.0	27.2	1.6	
Chromium	44.2	26.0	110	1.7	0.4	
Lead	199	31.0	250	6.4	0.8	
Mercury	0.55	0.2	2.0	2.8	0.3	
PCB-1254	2.1	0.06	34.0	35.0	0.1	
Benzo(b)fluoranthene	0.63	-	-	-	-	
Benzo(g,h,i)perylene	0.52	0.170	320	3.1	0.0	
Fluoranthene	0.62	0.750	1020	0.8	0.0	
Indeno(1,2,3-cd)pyrene	0.50	0.200	320	2.5	0.0	
Dioxin ⁴	211	2.5	25	84.4	8.4	

a) Maximum detection refers to the highest level of contaminant found in the samples taken during the assessment.

b) The Sediment Quality Criteria (SQC) are based on the Untario Provincial Sediment Quality Guidelines (Forsaud, et al. 1994) unless otherwise noted. Lowest Effect Level (LEL) refers to marginally polluted sediments in which ecotoxic effects become apparent, but the majority of sediment-dwelling organisms are not affected. Severe Effect Level (SBL) refers to heavily polluted sediments likely to affect the health of sediment-dwelling organisms.

c) Hazard Quotient = sample concentration/SQC

d) The smalytical results for dioxin listed here were converted to dioxin 2,3,7,8-TCDD equivalent. This maximum detection is compared with benchmark values obtained from EPA 1993. The value listed under LBL represents a concentration derived from nn-effects thresholds for reproductive effects in maximum wildlife. The value under SEL represents a concentration derived from doses expected to cause 50 to 100% mortality in embryos and young of sensitive maximum wildlife species.